




# TAMTAKIM APARAT

CNC / UNIVERSAL  
[www.tamtakim.com](http://www.tamtakim.com)

➤ TARAMA BAŐLIKLARI

➤ FACE MILLING



➤ **Telefon: 0532 266 2573**

**e-mail: [info@tamtakim.com](mailto:info@tamtakim.com)**

45° SNKX 1206	Order Code	Product Code	Dimensions (mm)								
			D	D1	d	Z	H				
			T319	D040 d16 Z03 SNKX 12	40	53	16	3			
T320	D050 d22 Z04 SNKX 12	50	63	22	4	44	0.593	TC076	T15		
T322	D063 d22 Z06 SNKX 12	63	76	22	6	44	0.710	TC076	T15	SNKX 1206	
T325	D080 d27 Z07 SNKX 12	80	93	27	7	52	1.334	TC076	T15	KRLY	
T330	D100 d32 Z08 SNKX 12	100	113	32	8	52	1.926	TC076	T15		
T332	D125 d40 Z10 SNKX 12	125	138	40	10	63	3.780	TC076	T15		
T334	D160 d40 Z12 SNKX 12	160	173	40	12	63	5.380	TC076	T15		
T335	D200 d60 Z14 SNKX 12	200	213	60	14	63	6.690	TC076	T15		

Get information for cooling tool

Compatible with / Kompatible für (KRLY-PLBT-BHLR)

45° ONMX 0806	Order Code	Product Code	Dimensions (mm)								
			D	d	Z	H					
			T780	D063 d22 Z05 ONMX 08	63	22	5	40			
T782	D080 d27 Z06 ONMX 08	80	27	6	50	0.532	TC083	T20	ONMX 0806 ISCR		
T784	D100 d32 Z07 ONMX 08	100	32	7	50	1.067	TC083	T20	ONMU 0806 YG1		
T786	D125 d40 Z08 ONMX 08	125	40	8	63	3.574	TC083	T20	ONKX 0806 LMN		

Get information for cooling tool

Compatible with / Kompatible für (KRLY-ISCR-YG1-LMN)

45° ONMX 0606	Order Code	Product Code	Dimensions (mm)								
			D	d	Z	H					
			T790	D063 d22 Z05 ONMX 06	63	22	5	45			
T791	D080 d27 Z06 ONMX 06	80	27	6	50	1.110	TC083	T20	ONMX 0606		
T792	D100 d32 Z07 ONMX 06	100	32	7	52	1.701	TC083	T20	KRLY		

Get information for cooling tool

Compatible with / Kompatible für (KRLY)

90° WNGX 0806	Order Code	Product Code	Dimensions (mm)								
			D	d	Z	H					
			T775	D050 d22 Z05 WNGX 08	50	22	5	40			
T776	D063 d22 Z06 WNGX 08	63	22	6	40	0.470	TC083	T20	WNGX 0806		
T777	D080 d27 Z07 WNGX 08	80	27	7	50	1.105	TC083	T20	KRLY		
T778	D100 d32 Z08 WNGX 08	100	32	8	52	1.580	TC083	T20			

Get information for cooling tool

Compatible with / Kompatible für (KRLY)

90° WNGX 0403	Order Code	Product Code	Dimensions (mm)								
			D	d	Z	H					
			T692	D040 d16 Z06 WNGX 04 IK	40	16	6	40			
T693	D050 d22 Z08 WNGX 04 IK	50	22	8	40	0.347	TC060	T8	WNGX 0403		
T694	D063 d22 Z10 WNGX 04 IK	63	22	10	40	0.617	TC060	T8	KRLY		
T695	D080 d27 Z11 WNGX 04 IK	80	27	11	50	1.306	TC060	T8			

Compatible with / Kompatible für (KRLY)

88° SNMX 1206	Order Code	Product Code	Dimensions (mm)								
			D	d	Z	H					
			T344	D063 d22 Z06 SNMX 12	63	22	6	40			
T345	D080 d27 Z07 SNMX 12	80	27	7	50	1.213	TC076	T15	SNMX 1206		
T346	D100 d32 Z08 SNMX 12	100	32	8	50	1.688	TC076	T15	KRLY		

Get information for cooling tool

Compatible with / Kompatible für (KRLY)

90° LNMX 1006	Order Code	Product Code	Dimensions (mm)								
			D	d	Z	H					
			T386	D040 d16 Z05 LNMX 10	40	16	5	40			
T387	D050 d22 Z06 LNMX 10	50	22	6	45	0.472	TC065	T8	LNMX 1006		
T388	D063 d22 Z06 LNMX 10	63	22	6	45	0.495	TC065	T8	KRLY		
T389	D080 d27 Z07 LNMX 10	80	27	7	50	0.731	TC065	T8			
T390	D100 d32 Z09 LNMX 10	100	32	9	50	1.700	TC065	T8			

### 90° LNMX 1510



Order Code	Product Code	Dimensions (mm)					TC076	T15	KRLY
		D	d	Z	H	⌀			
T372	D050 d22 Z04 LNMX 15	50	22	4	45	0,375	TC076	T15	
T374	D063 d22 Z06 LNMX 15	63	22	6	45	0,616	TC076	T15	
T376	D080 d27 Z07 LNMX 15	80	27	7	50	1,087	TC076	T15	LNMX 1510
T378	D100 d32 Z08 LNMX 15	100	32	8	52	1,644	TC076	T15	KRLY
T380	D125 d40 Z10 LNMX 15	125	40	10	63	3,650	TC076	T15	

Get information for cooling tool

Compatible with / Kompatible für (KRLY)

### 90° XNKT 0805



Order Code	Product Code	Dimensions (mm)					TC072 <th rowspan="2">T15 <th rowspan="2">KRLY </th></th>	T15 <th rowspan="2">KRLY </th>	KRLY
		D	d	Z	H	⌀			
T900	D040 d16 Z04 XNKT 08	40	16	4	45	0,296	TC072	T15	
T902	D050 d22 Z05 XNKT 08	50	22	5	45	0,396	TC072	T15	XNKT 0805
T904	D063 d22 Z06 XNKT 08	63	22	6	45	0,575	TC072	T15	KRLY
T906	D080 d27 Z07 XNKT 08	80	27	7	50	1,015	TC072	T15	
T907	D100 d32 Z08 XNKT 08	100	32	8	52	1,575	TC072	T15	

Get information for cooling tool

Compatible with / Kompatible für (KRLY)

### 90° XNKT 0604




Order Code	Product Code	Dimensions (mm)					TC065-1 <th rowspan="2">T8 <th rowspan="2">KRLY </th></th>	T8 <th rowspan="2">KRLY </th>	KRLY
		D	d	Z	H	⌀			
T852	D032 d16 Z04 XNKT 06	32	16	4	40	0,150	TC065-1	T8	
T853	D040 d16 Z06 XNKT 06	40	16	6	40	0,219	TC065-1	T8	XNKT 0604
T854	D050 d22 Z07 XNKT 06	50	22	7	40	0,348	TC065-1	T8	KRLY
T855	D063 d22 Z08 XNKT 06	63	22	8	40	0,527	TC065-1	T8	
T856	D080 d27 Z10 XNKT 06	80	27	10	50	0,938	TC065-1	T8	

Get information for cooling tool

Compatible with / Kompatible für (KRLY)

### WNMX 09T3



Order Code	Product Code	Dimensions (mm)					TC065 <th rowspan="2">T8 <th rowspan="2">KRLY </th></th>	T8 <th rowspan="2">KRLY </th>	KRLY
		D	d	Z	H	⌀			
T669	D040 d16 Z04 WNMX 09	40	16	4	40	0,213	TC065	T8	
T670	D050 d22 Z05 WNMX 09	50	22	5	40	0,329	TC065	T8	WNMX 09T3
T671	D063 d22 Z06 WNMX 09	63	22	6	40	0,542	TC065	T8	KRLY
T671-1	D080 d27 Z06 WNMX 09	80	27	6	50	1,077	TC065	T8	
T671-2	D100 d32 Z07 WNMX 09	100	32	7	50	1,627	TC065	T8	

Get information for cooling tool

Compatible with / Kompatible für (KRLY)

### WNMX 1305



Order Code	Product Code	Dimensions (mm)					TC074 <th rowspan="2">T15 <th rowspan="2">KRLY </th></th>	T15 <th rowspan="2">KRLY </th>	KRLY
		D	d	Z	H	⌀			
T687	D063 d22 Z04 WNMX 13 IK	63	22	4	50	0,752	TC074	T15	
T688	D080 d27 Z05 WNMX 13	80	27	5	50	1,040	TC074	T15	WNMX 1305
T689	D100 d32 Z06 WNMX 13	100	32	6	50	1,625	TC074	T15	KRLY
T690	D125 d40 Z07 WNMX 13	125	40	7	63	3,716	TC074	T15	

Get information for the T688-T690 cooled one.

Compatible with / Kompatible für (KRLY)

### LNMX 0603



Order Code	Product Code	Dimensions (mm)					TC065 <th rowspan="2">T8 <th rowspan="2">KRLY </th></th>	T8 <th rowspan="2">KRLY </th>	KRLY
		D	d	Z	H	⌀			
T835	D032 d16 Z05 LNMX 06 IK	32	16	5	40	0,173	TC065	T8	LNMX 0603
T836	D040 d16 Z06 LNMX 06 IK	40	16	6	40	0,279	TC065	T8	KRLY
T837	D050 d22 Z08 LNMX 06 IK	50	22	8	40	0,400	TC065	T8	
T838	D063 d22 Z09 LNMX 06 IK	63	22	9	40	0,766	TC065	T8	

Compatible with / Kompatible für (KRLY)

### RPMW 10T3



Order Code	Product Code	Dimensions (mm)					TC067 <th rowspan="2">T15 <th rowspan="2">KRLY </th></th>	T15 <th rowspan="2">KRLY </th>	KRLY
		D	d	Z	H	⌀			
T706	D040 d16 Z05 RPMW 10	40	16	5	40	0,240	TC067	T15	
T707	D050 d22 Z06 RPMW 10	50	22	6	40	0,359	TC067	T15	RPMW 10T3
T708	D063 d22 Z06 RPMW 10 IK	63	22	6	40	0,584	TC067	T15	KRLY
T709	D080 d27 Z07 RPMW 10 IK	80	27	7	50	1,272	TC067	T15	

RPMW 1204 	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T711	D050 d22 Z05 RPMW 12	50	22	5	40	0,327	TC073	T15	
	T712	D063 d22 Z05 RPMW 12	63	22	5	40	0,556	TC073	T15	RPMW 1204
	T713	D080 d27 Z06 RPMW 12	80	27	6	50	0,584	TC073	T15	KRLY
	T714	D100 d32 Z07 RPMW 12	100	32	7	53	1,278	TC073	T15	

Get information for cooling tool

Compatible with / Kompatible für (KRLY)

RPMW 1606 	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T717	D063 d22 Z05 RPMW 16 IK	63	22	5	40	0,509	TC083	T20	
	T718	D080 d27 Z06 RPMW 16 IK	80	27	6	50	1,048	TC083	T20	RPMW 1606
	T719	D100 d32 Z07 RPMW 16 IK	100	32	7	55	0,584	TC083	T20	KRLY
	T720	D125 d40 Z08 RPMW 16 IK	125	40	8	63	1,903	TC083	T20	

Compatible with / Kompatible für (KRLY)

90° XEKT 1904 	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T365	D40 d16 Z03 XEKT 19 IK	40	16	3	45	0,192	TC073	T15	XEKT 1904
	T366	D50 d22 Z04 XEKT 19 IK	50	22	4	50	0,318	TC073	T15	XEKT 1904
	T367	D63 d22 Z04 XEKT 19 IK	63	22	4	50	0,562	TC073	T15	XEKT 1904
	T368	D80 d27 Z05 XEKT 19 IK	80	27	5	50	0,791	TC073	T15	XEKT 1904
	T369	D100 d32 Z06 XEKT 19 IK	100	32	6	63	1,952	TC073	T15	XEKT 1904
	T370	D125 d40 Z07 XEKT 19 IK	125	40	7	63	2,951	TC073	T15	XEKT 1904

Compatible with / Kompatible für (KRLY)

90° APMT 0602 	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T596	D40 d16 Z10 APMT 06 IK	40	16	10	40	0,281	TC057-1	T6	APMT 0602
	T597	D50 d22 Z12 APMT 06 IK	50	22	12	40	0,435	TC057-1	T6	KRLY
	T598	D63 d22 Z14 APMT 06 IK	63	22	14	40	0,715	TC057-1	T6	
	T239	D40 d16 Z05 APMT 09	40	16	5	40	0,248	TC060	T8	APMT 0602
	T240	D50 d22 Z06 APMT 09	50	22	6	40	0,348	TC060	T8	KRLY


Get information for the T239 B T240 cooled one

Compatible with / Kompatible für (KRLY)

90° APMT 11T3 	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T250	D040 d16 Z05 APMT 11	40	16	5	40	0,220	TC060	T8	
	T252	D050 d22 Z06 APMT 11	50	22	6	40	0,332	TC060	T8	APMT 11T3
	T254	D063 d22 Z07 APMT 11	63	22	7	40	0,483	TC060	T8	KRLY
	T256	D080 d27 Z08 APMT 11	80	27	8	50	1,115	TC060	T8	
	T258	D100 d32 Z10 APMT 11	100	32	10	63	1,810	TC060	T8	


Get information for cooling tool

Compatible with / Kompatible für (KRLY)

90° APMT 1604 	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T241	D040 d16 Z04 APMT 16	40	16	4	45	0,258	TC074	T15	
	T243	D050 d22 Z05 APMT 16	50	22	5	45	0,400	TC074	T15	APMT 1604
	T245	D063 d22 Z06 APMT 16	63	22	6	45	0,578	TC074	T15	KRLY
	T247	D080 d27 Z07 APMT 16	80	27	7	52	1,249	TC074	T15	
	T249	D100 d32 Z08 APMT 16	100	32	8	52	1,530	TC074	T15	

Get information for cooling tool

Compatible with / Kompatible für (KRLY)

90° APXT 1003 	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T176	D040 d16 Z05 APXT 10	40	16	5	40	0,277	TC060	T8	
	T177	D050 d22 Z06 APXT 10	50	22	6	40	0,398	TC060	T8	APXT 1003
	T178	D063 d22 Z07 APXT 10	63	22	7	40	0,543	TC060	T8	KRLY
	T179	D080 d27 Z08 APXT 10	80	27	8	50	1,205	TC060	T8	

90° AP-- 1604	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T180	D040 d16 Z03 AP--16	40	16	3	45	0,267	TC074	T15	
	T181	D040 d16 Z04 AP--16	40	16	4	45	0,258	TC074	T15	
	T182	D050 d22 Z04 AP--16	50	22	4	45	0,406	TC074	T15	
	T183	D050 d22 Z05 AP--16	50	22	5	45	0,400	TC074	T15	
	T184	D063 d22 Z05 AP--16	63	22	5	45	0,577	TC074	T15	
	T185	D063 d22 Z06 AP--16	63	22	6	45	0,578	TC074	T15	AP-- 1604
	T186	D080 d27 Z06 AP--16	80	27	6	52	1,159	TC074	T15	KRLY
	T187	D080 d27 Z07 AP--16	80	27	7	52	1,249	TC074	T15	
	T188	D100 d32 Z07 AP--16	100	32	7	52	1,057	TC074	T15	
	T189	D100 d32 Z08 AP--16	100	32	8	52	1,530	TC074	T15	
	T190	D125 d40 Z09 AP--16	125	40	9	62	3,642	TC074	T15	
	T192	D160 d40 Z10 AP--16	160	40	10	62	4,885	TC074	T15	
	T193	D200 d60 Z12 AP--16	200	60	12	63	6,370	TC074	T15	
	T195	D300 d60 Z15 AP--16	300	60	15	62	14,360	TC074	T15	

Get information for cooling tool

Compatible with / Kompatible für (KRLY)

AP-- 16 Chamfering Mill	Order Code	Product Code	Dimensions (mm)												
			K	K1	d1	D	Z	d2	d3	L	L1				
	T457	35-50,5 Z06 K15° AP--16	15°	30°	35	50,5	6	22	45	60	30	0,415	TC074	T15	
	T454	35-65 Z06 K30° AP--16	30°	60°	35	65	6	27	48	50	26,3	0,610	TC074	T15	AP-- 1604
	T456	35-76 Z06 K45° AP--16	45°	90°	35	76	6	27	60	50	21,5	0,734	TC074	T15	KRLY
	T455	35-86 Z06 K60° AP--16	60°	120°	35	86	6	27	60	50	15	0,892	TC074	T15	
	T458	35-94 Z06 K75° AP--16	75°	150°	35	94	6	27	60	50	8,5	1,256	TC074	T15	

Get information for cooling tool

Compatible with / Kompatible für (KRLY)

F 75° AP-- 1604-APXT 1003	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T308	D063 d22 Z04 AP--16	63	22	4	45	0,510	TC074	T15	
	T310	D080 d27 Z05 AP--16	80	27	5	52	1,120	TC074	T15	AP-- 1604
	T312	D100 d32 Z06 AP--16	100	32	6	52	1,587	TC074	T15	KRLY
	T313	D125 d40 Z07 AP--16	125	40	7	62	3,047	TC074	T15	
	T452	D063 d22 Z06 APXT 10	63	22	6	45	0,630	TC063	T8	APXT 1003 KRLY

Get information for cooling tool

Compatible with / Kompatible für (KRLY)

PNMU 1206	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T722	D050 d22 Z04 PNMU 12 IK	50	22	4	40	0,371	TC074	T15	
	T723	D063 d22 Z05 PNMU 12 IK	63	22	5	40	0,594	TC074	T15	PNMU 1206
	T724	D080 d27 Z08 PNMU 12 IK	80	27	8	50	1,273	TC074	T15	YG1
	T725	D100 d32 Z10 PNMU 12 IK	100	32	10	50	1,901	TC074	T15	
	T726	D125 d40 Z10 PNMU 12 IK	125	40	10	63	4,070	TC074	T15	

Compatible with / Kompatible für (YG1)

43° ODHT 0605	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T210	D063 d22 Z05 ODHT 06	63	22	5	40	0,610	TC083	T20	ODMT 06
	T211	D080 d27 Z06 ODHT 06	80	27	6	50	1,070	TC083	T20	YG1
	T212	D100 d32 Z07 ODHT 06	100	32	7	52	1,765	TC083	T20	ODHT 0605
	T213	D125 d40 Z08 ODHT 06	125	40	8	62	3,528	TC083	T20	WLTR


Get information for cooling tool


Compatible with / Kompatible für (YG1-WLTR)

90° WNEX 0806	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T771	D050 d22 Z05 WNEX 08	50	22	5	40	0,285	TC074	T15	WNEX 0806
	T772	D063 d22 Z06 WNEX 08	63	22	6	40	0,451	TC074	T15	YG1

Get information for cooling tool


Compatible with / Kompatible für (YG1)

100° ENMX 0604   	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T763	D040 d16 Z06 ENMX 06 IK	40	16	6	40	0,261	TC063	T8	ENMX 0604
	T764	D050 d22 Z06 ENMX 06 IK	50	22	6	50	0,478	TC063	T8	YG1
	T765	D063 d22 Z07 ENMX 06 IK	63	22	7	50	0,762	TC063	T8	
<i>Compatible with / Kompatible für (YG1)</i>										


100° ENMX 0905   	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T701	D050 d22 Z04 ENMX 09 IK	50	22	4	50	0,487	TC069	T10	
	T702	D063 d22 Z05 ENMX 09 IK	63	22	5	50	0,796	TC069	T10	ENMX 0905
	T703	D080 d27 Z08 ENMX 09 IK	80	27	8	50	1,188	TC069	T10	YG1
	T704	D100 d32 Z10 ENMX 09 IK	100	32	10	63	2,867	TC069	T10	
	T705	D125 d40 Z12 ENMX 09 IK	125	40	12	63	4,186	TC069	T10	
<i>Compatible with / Kompatible für (YG1)</i>										

90° APKT 1604  	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T767	D050 d22 Z04 APKT 16	50	22	4	45	0,381	TC074	T15	APKT 1604
	T768	D063 d22 Z05 APKT 16	63	22	5	45	0,507	TC074	T15	YG1
	T769	D080 d27 Z06 APKT 16	80	27	6	52	1,125	TC074	T15	
<i>Get information for cooling tool</i> <span style="float: right;"><i>Compatible with / Kompatible für (YG1)</i></span>										

45° SNMU 1305  	Order Code	Product Code	Dimensions (mm)								
			D	d1	d	Z	H				
	T234	D050 d22 Z04 SNMU 13	50	63	22	4	44	0,480	TC083	T20	
	T235	D063 d22 Z06 SNMU 13	63	76	22	6	44	0,645	TC083	T20	SNMU 1305
	T236	D080 d27 Z07 SNMU 13	80	93	27	7	52	1,147	TC083	T20	ISCR
	T237	D100 d32 Z08 SNMU 13	100	113	32	8	52	1,487	TC083	T20	
	T238	D125 d40 Z10 SNMU 13	125	138	40	10	63	3,610	TC083	T20	
<i>Get information for cooling tool</i> <span style="float: right;"><i>Compatible with / Kompatible für (ISCR)</i></span>											

45° ONMU 0505  	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T794	D063 d22 Z06 ONMU 05	63	22	6	45	0,652	TC085	T20	
	T796	D080 d27 Z07 ONMU 05	80	27	7	50	1,202	TC085	T20	ONMU 0505
	T798	D100 d32 Z08 ONMU 05	100	32	8	52	1,842	TC085	T20	ISCR
	T800	D125 d40 Z10 ONMU 05	125	40	10	62	3,537	TC085	T20	
	T801	D160 d40 Z12 ONMU 05	160	40	12	62	4,863	TC085	T20	
<i>Get information for cooling tool</i> <span style="float: right;"><i>Compatible with / Kompatible für (ISCR)</i></span>										

90° WNMU 0705  	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T392	D050 d22 Z05 WNMU 07 IK	50	22	5	40	0,337	TC074	T15	
	T393	D063 d22 Z06 WNMU 07 IK	63	22	6	40	0,515	TC074	T15	WNMU 0705
	T394	D080 d27 Z07 WNMU 07 IK	80	27	7	50	1,012	TC074	T15	ISC
	T395	D100 d32 Z08 WNMU 07	100	32	8	50	1,342	TC074	T15	
<i>Get information for the T395 cooled one.</i> <span style="float: right;"><i>Compatible with / Kompatible für (ISCR)</i></span>										

90° ANKX 1205  	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T571	D040 d16 Z04 ANKX 12	40	16	4	40	0,215	TC074	T15	
	T572	D050 d22 Z05 ANKX 12	50	22	5	45	0,433	TC074	T15	ANKX 1205
	T574	D063 d22 Z06 ANKX 12	63	22	6	45	0,596	TC074	T15	ISCR
	T576	D080 d27 Z07 ANKX 12	80	27	7	50	1,210	TC074	T15	

90° ANKX 1706	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T440	D040 d16 Z03 ANKX 17	40	16	3	45	0,279	TC083	T20	
	T442	D050 d22 Z04 ANKX 17	50	22	4	45	0,371	TC083	T20	ANKX 1706
	T444	D063 d22 Z05 ANKX 17	63	22	5	45	0,573	TC083	T20	ISCR
	T446	D080 d27 Z06 ANKX 17	80	27	6	52	1,238	TC083	T20	
	T448	D100 d32 Z07 ANKX 17	100	32	7	52	2,029	TC083	T20	
	T450	D125 d40 Z08 ANKX 17	125	40	8	63	3,590	M5x12	T20	

Get information for cooling tool

Compatible with / Kompatibel für (ISCR)

90° LNMT 1306	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T228	D050 d22 Z05 LNMT 13	50	22	5	40	0,337	TC074	T15	
	T229	D063 d22 Z06 LNMT 13	63	22	6	40	0,596	TC074	T15	LNMT 1306
	T230	D080 d27 Z07 LNMT 13	80	27	7	50	1,227	TC074	T15	ISCR
	T231	D100 d32 Z08 LNMT 13	100	32	8	50	1,682	TC074	T15	
	T232	D125 d40 Z09 LNMT 13	125	40	9	63	3,325	TC074	T15	
	T233	D160 d40 Z12 LNMT 13	160	40	12	63	5,046	TC074	T15	

Get information for cooling tool

Compatible with / Kompatibel für (ISCR)

90° LNMT 0804	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T222	D040 d16 Z06 LNMT 08	40	16	6	40	0,240	TC061	T8	
	T223	D050 d22 Z07 LNMT 08	50	22	7	40	0,374	TC061	T8	LNMT 0804
	T224	D063 d22 Z09 LNMT 08	63	22	9	40	0,665	TC061	T8	ISCR
	T225	D080 d27 Z10 LNMT 08	80	27	10	50	1,145	TC061	T8	

Get information for cooling tool

Compatible with / Kompatibel für (ISCR)

90° ADKT 1505	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T200	D040 d16 Z04 ADKT 15	40	16	4	45	0,270	TC074	T15	
	T202	D050 d22 Z05 ADKT 15	50	22	5	45	0,394	TC074	T15	ADKT 1505
	T204	D063 d22 Z06 ADKT 15	63	22	6	45	0,565	TC074	T15	ISCR
	T206	D080 d27 Z07 ADKT 15	80	27	7	52	1,152	TC074	T15	
	T207	D100 d32 Z08 ADKT 15	100	32	8	52	1,546	TC074	T15	
	T208	D125 d40 Z09 ADKT 15	125	40	9	62	0,272	TC074	T15	

Get information for cooling tool

Compatible with / Kompatibel für (ISCR)

F 75° ADKT 1505	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T530	D063 d22 Z05 ADKT 15	63	22	5	45	0,580	TC074	T15	ADKT 1505
	T532	D080 d27 Z06 ADKT 15	80	27	6	50	1,090	TC074	T15	ISCR


Get information for cooling tool für (ISCR)

Compatible with / Kompatibel

55° HNHX 1006	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T470	D063 d22 Z05 HNHX 10	63	22	5	50	0,675	TC083	T20	
	T472	D080 d27 Z07 HNHX 10	80	27	7	50	1,063	TC083	T20	HNHX 1006
	T474	D100 d32 Z09 HNHX 10	100	32	9	62	2,023	TC083	T20	TGTC
	T476	D125 d40 Z10 HNHX 10	125	40	10	62	3,331	TC083	T20	
	T478	D160 d40 Z12 HNHX 10	160	40	12	62	4,724	TC083	T20	

Get information for cooling tool

Compatible with / Kompatibel für (TGTC)

90° SPMG 0904	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T338	D050 d22 Z05 SPMG 09	50	22	5	45	0,239	TC067	T15	SPMG 0904
	T340	D063 d22 Z06 SPMG 09	63	22	6	45	0,362	TC067	T15	TGTC
	T342	D080 d27 Z07 SPMG 09	80	27	7	52	1,088	TC067	T15	

90° 3PKT 1505	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T398	D050 d22 Z05 3PKT 15	50	22	5	40	0,325	TC074	T15	
	T399	D063 d22 Z06 3PKT 15	63	22	6	40	0,490	TC074	T15	3PKT 1505
	T400	D080 d27 Z07 3PKT 15	80	27	7	50	1,105	TC074	T15	TGTC

Get information for cooling tool

Compatible with / Kompatible für (TGTC)

100° BLMP 0603	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T480	D040 d16 Z06 BLMP 06	40	16	6	45	0,262	TC064	T8	BLMP 0603
	T481	D050 d22 Z07 BLMP 06	50	22	7	50	0,457	TC064	T8	TGTC
	T482	D052 d22 Z07 BLMP 06	52	22	7	50	0,472	TC064	T8	

Get information for cooling tool  
für (TGTC)

Compatible with / Kompatible

100° BLMP 0904	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T485	D040 d16 Z05 BLMP 09	40	16	5	40	0,176	TC069	T10	
	T486	D052 d22 Z06 BLMP 09	52	22	6	50	0,427	TC069	T10	BLMP 0904
	T487	D063 d22 Z07 BLMP 09	63	22	7	50	0,615	TC069	T10	TGTC
	T487-2	D066 d22 Z07 BLMP 09	66	22	7	50	0,675	TC069	T10	
	T487-3	D080 d27 Z08 BLMP 09	80	27	8	50	1,238	TC069	T10	
	T487-5	D100 d32 Z09 BLMP 09	100	32	9	60	2,320	TC069	T10	

Get information for cooling tool

Compatible with / Kompatible für (TGTC)

90° APKT 1705	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T550	D040 d16 Z04 APKT 17	40	16	4	45	0,239	TC074	T15	
	T552	D050 d22 Z05 APKT 17	50	22	5	45	0,362	TC074	T15	APKT 1705
	T554	D063 d22 Z06 APKT 17	63	22	6	45	0,520	TC074	T15	TGTC
	T556	D080 d27 Z07 APKT 17	80	27	7	50	1,047	TC074	T15	
	T558	D100 d32 Z08 APKT 17	100	32	8	52	1,620	TC074	T15	

Get information for cooling tool

Compatible with / Kompatible für (TGTC)

LNMU 0303	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T728	D040 d16 Z06 LNMU 03	40	16	6	40	0,275	TC063	T8	LNMU 0303
	T729	D050 d22 Z07 LNMU 03	50	22	7	50	0,541	TC063	T8	TNGLY - OKE
	T730	D063 d22 Z09 LNMU 03	63	22	9	50	0,766	TC063	T8	

Get information for cooling tool

Compatible with / Kompatible für (TNGLY - OKE)

90° XNEX 0806	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T840	D050 d22 Z04 XNEX 08	50	22	4	45	0,400	TC076	T15	
	T841	D050 d22 Z05 XNEX 08	50	22	5	45	0,394	TC076	T15	SCD
	T842	D063 d22 Z06 XNEX 08	63	22	6	45	0,490	TC076	T15	XNEX 0806 SCD
	T844	D080 d27 Z07 XNEX 08	80	27	7	50	1,063	TC076	T15	XNEX 0806
	T846	D100 d32 Z07 XNEX 08	100	32	7	52	1,755	TC076	T15	WNST
	T848	D125 d40 Z10 XNEX 08	125	40	10	60	3,155	TC076	T15	
	T850	D160 d40 Z12 XNEX 08	160	40	12	63	5,154	TC076	T15	
	T851	D200 d60 Z14 XNEX 08	200	60	14	63	6,415	TC076	T15	

90° LOEX 1207	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T586	D050 d22 Z05 LOEX12	50	22	5	40	0,358	TC074	T15	LOEX 1207
	T587	D063 d22 Z06 LOEX12	63	22	6	40	0,604	TC074	T15	SCO
	T588	D080 d27 Z07 LOEX12	80	27	7	50	1,029	TC074	T15	

Get information for cooling tool

Compatible with / Kompatible für (SCO)

90° XOMX 1204	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T510	D040 d16 Z04 XOMX 12	40	16	4	40	0,250	TC069	T10	
	T512	D050 d22 Z05 XOMX 12	50	22	5	40	0,351	TC069	T10	
	T514	D063 d22 Z06 XOMX 12	63	22	6	40	0,618	TC069	T10	XOMX 1204
	T516	D080 d27 Z07 XOMX 12	80	27	7	50	1,155	TC069	T10	SCO
	T518	D100 d32 Z10 XOMX 12	100	32	10	52	1,817	TC069	T10	
	T519	D125 d40 Z12 XOMX 12	125	40	12	62	3,565	TC069	T10	

Get information for cooling tool

Compatible with / Kompatible für (SCO)

90° XOMX 1806	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T520	D050 d22 Z05 XOMX 18	50	22	5	45	0,337	TC080	T15	
	T522	D063 d22 Z06 XOMX 18	63	22	6	45	0,550	TC080	T15	
	T524	D080 d27 Z07 XOMX 18	80	27	7	50	1,082	TC080	T15	XOMX 1806
	T525	D100 d32 Z08 XOMX 18	100	32	8	52	1,661	TC080	T15	SCO
	T526	D125 d40 Z09 XOMX 18	125	40	9	62	3,427	TC080	T15	
	T527	D160 d40 Z10 XOMX 18	160	40	10	62	4,891	TC080	T15	

Get information for cooling tool

Compatible with / Kompatible für (SCO)

45° SEET 12T3 R245	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T435	D063 d22 Z05 SEET 12	63	22	5	50	0,815	TC067	T15	
	T436	D080 d27 Z06 SEET 12	80	27	6	52	1,305	TC067	T15	SEET 12T3
	T437	D100 d32 Z07 SEET 12	100	32	7	55	1,715	TC067	T15	R245
	T438	D125 d40 Z08 SEET 12	125	40	8	62	3,427	TC067	T15	

Get information for cooling tool

Compatible with / Kompatible für (ZCC -SNDVK-XTC)

With Shim - Mit U-Platte

45° SEET 12T3 R245	Order Code	Product Code	Dimensions (mm)									
			D	d	Z	H						
	T560	D050 d22 Z04 SEET 12	50	22	4	40	0,345	TC068	TA052	TC049	T15	
	T562	D063 d22 Z05 SEET 12	63	22	5	40	0,505	TC068	TA052	TC049	T15	SEET 12T3
	T564	D080 d27 Z06 SEET 12	80	27	6	50	1,206	TC068	TA052	TC049	T15	R245
	T566	D100 d32 Z07 SEET 12	100	32	7	50	1,812	TC068	TA052	TC049	T15	
	T568	D125 d40 Z08 SEET 12	125	40	8	63	3,390	TC068	TA052	TC049	T15	
	T570	D160 d40 Z10 SEET 12	160	40	10	63	4,590	TC068	TA052	TC049	T15	

Get information for cooling tool

Compatible with / Kompatible für (ZCC -SNDVK-XTC)

RCKT 1204	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T460	D050 d22 Z04 RCKT 12	50	22	4	40	0,287	TC067	T15	
	T462	D063 d22 Z05 RCKT 12	63	22	5	40	0,436	TC067	T15	RCKT 1204
	T464	D080 d27 Z06 RCKT 12	80	27	6	50	1,088	TC067	T15	SNDVK
	T466	D100 d32 Z07 RCKT 12	100	32	7	52	1,608	TC067	T15	

90° R390-11T3	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T577	D040 d16 Z05 R390 11	40	16	5	40	0,225	TC063	T8	R390-11T3
	T578	D050 d22 Z06 R390 11	50	22	6	40	0,355	TC063	T8	SNDVK
	T579	D063 d22 Z07 R390 11	63	22	7	40	0,503	TC063	T8	

Get information for cooling tool

Compatible with / Kompatible für (SNDVK)

90° R390-1704	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T402	D040 d16 Z04 R390 17	40	16	4	45	0,276	TC067	T15	
	T404	D050 d22 Z05 R390 17	50	22	5	45	0,591	TC067	T15	
	T408	D063 d22 Z06 R390 17	63	22	6	45	0,590	TC067	T15	R390-1704
	T411	D080 d27 Z07 R390 17	80	27	7	52	1,168	TC067	T15	SNDVK
	T412	D100 d32 Z08 R390 17	100	32	8	52	1,665	TC067	T15	
	T414	D125 d40 Z09 R390 17	125	40	9	62	3,680	TC067	T15	
	T416	D160 d40 Z10 R390 17	160	40	10	62	5,010	TC067	T15	

Get information for cooling tool

Compatible with / Kompatible für (SNDVK)

90° R390-1806	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T423	D050 d22 Z04 R390 18	50	22	4	45	0,303	TC074	T15	
	T424	D063 d22 Z05 R390 18	63	22	5	45	0,490	TC074	T15	R390-1806
	T426	D080 d27 Z06 R390 18	80	27	6	52	1,081	TC074	T15	SNDVK
	T428	D100 d32 Z07 R390 18	100	32	7	52	1,595	TC074	T15	
	T430	D125 d40 Z08 R390 18	125	40	8	62	3,558	TC074	T15	
	T432	D160 d40 Z10 R390 18	160	40	10	62	4,411	TC074	T15	

Get information for cooling tool

Compatible with / Kompatible für (SNDVK)

45° SNEU 1206	Order Code	Product Code	Dimensions (mm)								
			D	D1	d	Z	H				
	T164	D050 d22 Z05 SNEU 12	50	63	22	5	40	0,447	TC083	T20	
	T165	D063 d22 Z06 SNEU 12	63	76	22	6	40	0,582	TC083	T20	SNEU 1206
	T166	D080 d27 Z07 SNEU 12	80	93	27	7	50	1,252	TC083	T20	
	T167	D100 d32 Z08 SNEU 12	100	113	32	8	50	1,925	TC083	T20	
	T168	D125 d40 Z10 SNEU 12	125	138	40	10	63	3,516	TC083	T20	

Get information for cooling tool

Compatible with / Kompatible für (XTC-GSC-WLTR)

90° LNGX 1307	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T488	D040 d16 Z03 LNGX 13	40	16	3	45	0,304	TC079	T15	
	T490	D050 d22 Z04 LNGX 13	50	22	4	45	0,425	TC079	T15	
	T492	D063 d22 Z06 LNGX 13	63	22	6	45	0,560	TC079	T15	LNGX 1307
	T493	D080 d27 Z07 LNGX 13	80	27	7	50	1,124	TC079	T15	WLTR
	T494	D100 d32 Z07 LNGX 13	100	32	7	50	1,542	TC079	T15	
	T495	D125 d40 Z08 LNGX 13	125	40	8	63	3,555	TC079	T15	

Get information for cooling tool

Compatible with / Kompatible für (WLTR)

90° LNHU 1306	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T580	D050 d22 Z05 LNHU 13	50	22	5	40	0,350	TC079	T15	
	T581	D063 d22 Z06 LNHU 13	63	22	6	40	0,628	TC079	T15	LNHU 1306
	T582	D080 d27 Z07 LNHU 13	80	27	7	50	1,315	TC079	T15	WLTR
	T583	D100 d32 Z08 LNHU 13	100	32	8	50	1,795	TC079	T15	

90° ADMT 1204	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T214	D040 d16 Z04 ADMT 12	40	16	4	45	0,290	TC065	T8	
	T215	D050 d22 Z05 ADMT 12	50	22	5	45	0,350	TC065	T8	ADM 1204
	T217	D063 d22 Z06 ADMT 12	63	22	6	45	0,610	TC065	T8	WLTR
	T219	D080 d27 Z07 ADMT 12	80	27	7	52	1,176	TC065	T8	
	T220	D100 d32 Z08 ADMT 12	100	32	8	52	1,595	TC065	T8	

Get information for cooling tool

Compatible with / Kompatible für (WLTR)

90° ADMT 1606	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T351	D040 d16 Z04 ADMT 16	40	16	4	45	0,258	TC072	T15	
	T352	D050 d22 Z05 ADMT 16	50	22	5	45	0,397	TC072	T15	ADM 1606
	T354	D063 d22 Z06 ADMT 16	63	22	6	45	0,578	TC072	T15	WLTR
	T356	D080 d27 Z07 ADMT 16	80	27	7	52	1,254	TC072	T15	
	T357	D100 d32 Z07 ADMT 16	100	32	7	50	1,612	TC072	T15	

Get information for cooling tool

Compatible with / Kompatible für (WLTR)

45° SNKX 1206- ONHX 0505	Order Code	Product Code	Dimensions (mm)								
			D	D1	d	Z	H				
	T623	D050 d22 Z04 SNKX 12 ONHX 05 IK	50	42,4	22	4	40	0,458	TC074	T15	
	T624	D063 d22 Z06 SNKX 12 ONHX 05 IK	63	55,4	22	6	40	0,608	TC074	T15	SNKX 1206
	T625	D080 d27 Z07 SNKX 12 ONHX 05 IK	80	72,4	27	7	50	1,051	TC074	T15	ONHX 0505
	T626	D100 d32 Z08 SNKX 12 ONHX 05 IK	100	92,4	32	8	50	1,813	TC074	T15	PLBT
	T627	D125 d40 Z10 SNKX 12 ONHX 05 IK	125	117,4	40	10	63	3,277	TC074	T15	
	T628	D160 d40 Z12 SNKX 12 ONHX 05	160	152,4	40	12	63	4,577	TC074	T15	

Get information for the T628 cooled one.

Compatible with / Kompatible für (PLBT)

45° SNKX 1606- ONHX 0606	Order Code	Product Code	Dimensions (mm)								
			D	D1	d	Z	H				
	T628-1	D050 d22 Z04 SNKX 16 ONHX 06 IK	50	63	22	4	48	0,458	TC083	T20	
	T629	D063 d22 Z05 SNKX 16 ONHX 06 IK	63	76	22	5	50	0,776	TC083	T20	
	T630	D080 d27 Z06 SNKX 16 ONHX 06 IK	80	93	27	6	50	2,013	TC083	T20	SNKX 1606
	T631	D100 d32 Z07 SNKX 16 ONHX 06 IK	100	117	32	7	63	2,750	TC083	T20	ONHX 0606
	T632	D125 d40 Z08 SNKX 16 ONHX 06 IK	125	138	40	8	63	4,026	TC083	T20	PLBT
	T633	D160 d40 Z10 SNKX 16 ONHX 06	160	173	40	10	63	4,712	TC083	T20	
	T634	D200 d60 Z12 SNKX 16 ONHX 06	200	217	60	12	63	8,112	TC083	T20	

Get information for the T633 & T634 cooled one.

Compatible with / Kompatible für (PLBT)

88° SNHU 1206	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T617	D050 d22 Z05 SNHU 12 IK	50	22	5	40	0,305	TC074	T15	
	T618	D063 d22 Z06 SNHU 12 IK	63	22	6	40	0,503	TC076	T15	
	T619	D080 d27 Z07 SNHU 12 IK	80	27	7	50	1,076	TC076	T15	SNHU 1206
	T620	D100 d32 Z08 SNHU 12 IK	100	32	8	50	1,459	TC076	T15	PLBT
	T621	D125 d40 Z10 SNHU 12 IK	125	40	10	63	2,708	TC076	T15	
	T622	D160 d40 Z12 SNHU 12	160	40	12	63	4,328	TC076	T15	

Get information for the T622 cooled one.

Compatible with / Kompatible für (PLBT)

90° SPMT 1204	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T649	D040 d16 Z03 SPMT 12	40	16	3	40	0,253	TC083	T20	
	T650	D050 d22 Z04 SPMT 12	50	22	4	40	0,362	TC083	T20	SPMT 1204
	T651	D063 d22 Z05 SPMT 12	63	22	5	50	0,772	TC083	T20	PLBT
	T652	D080 d27 Z06 SPMT 12	80	27	6	50	1,186	TC083	T20	
	T653	D100 d32 Z08 SPMT 12	100	32	8	50	1,786	TC083	T20	ZZC
	T654	D125 d40 Z08 SPMT 12	125	40	8	63	2,935	TC083	T20	WLTR
	T655	D160 d40 Z10 SPMT 12	160	40	10	63	3,980	TC083	T20	

Get information for cooling tool

Compatible with / Kompatible für (WLTR)

90° ANHX 1004	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T656	D040 d16 Z04 ANHX 10 IK	40	16	4	40	0,250	TC065	T8	
	T657	D050 d22 Z05 ANHX 10 IK	50	22	5	40	0,374	TC065	T8	ANHX 1004
	T658	D063 d22 Z07 ANHX 10 IK	63	22	7	40	0,638	TC065	T8	PLBT
	T659	D080 d27 Z08 ANHX 10 IK	80	27	8	50	1,132	TC065	T8	
<i>Compatible with / Kompatible für (PLBT)</i>										

90° ANHX 1206	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T641	D040 d16 Z04 ANHX 12 IK	40	16	4	40	0,248	TC069	T10	
	T642	D050 d22 Z05 ANHX 12 IK	50	22	5	40	0,375	TC069	T10	
	T643	D063 d22 Z05 ANHX 12 IK	63	27	5	40	0,619	TC069	T10	ANHX 1206
	T644	D080 d27 Z08 ANHX 12 IK	80	27	8	50	1,209	TC069	T10	PLBT
	T645	D100 d32 Z12 ANHX 12 IK	100	32	12	50	1,761	TC069	T10	
	T646	D125 d40 Z14 ANHX 12 IK	125	40	14	63	3,091	TC069	T10	
<i>Compatible with / Kompatible für (PLBT)</i>										

90° LNXT 1306	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T672	D040 d16 Z04 LNXT 13 IK	40	16	4	40	0,225	TC074	T15	
	T673	D050 d22 Z05 LNXT 13 IK	50	22	5	40	0,358	TC074	T15	LNXT 1306
	T674	D063 d22 Z06 LNXT 13 IK	63	22	6	40	0,604	TC074	T15	PLBT
	T675	D080 d27 Z07 LNXT 13 IK	80	27	7	50	1,029	TC074	T15	
	T676	D100 d32 Z08 LNXT 13 IK	100	32	8	50	1,733	TC074	T15	
<i>Compatible with / Kompatible für (PLBT)</i>										

RNHX 1204	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T661	D050 d22 Z05 RNHX 12 IK	50	22	5	40	0,284	TC074	T15	RNHX 1204
	T662	D063 d22 Z06 RNHX 12 IK	63	22	6	50	0,637	TC074	T15	PLBT
	T664	D100 d32 Z08 RNHX 12 IK	100	32	8	50	1,570	TC074	T15	
<i>Kompatible für (PLBT) Compatible with /</i>										

RDMT 12T3	Order Code	Product Code	Dimensions (mm)								
			D	d	Z	H					
	T667	D052 d22 Z05 RDMT 12 IK	52	22	5	50	0,403	TC067	TC040	T15	RDMT 12T3
	T668-1	D066 d27 Z06 RDMT 12 IK	66	27	6	50	0,670	TC067	TC040	T15	PLBT
	T668	D080 d27 Z07 RDMT 12 IK	80	27	7	50	1,181	TC067	TC040	T15	
<i>Compatible with / Kompatible für (PLBT)</i>											

90° WNMU 0806	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T543	D050 d22 Z03 WNMU 08	50	22	3	46	0,360	TC083	T20	
	T544	D063 d22 Z04 WNMU 08	63	22	4	46	0,556	TC083	T20	WNMU 0806
	T545	D080 d27 Z05 WNMU 08	80	27	5	50	1,016	TC083	T20	KYCRA
	T546	D100 d32 Z06 WNMU 08	100	32	6	50	1,360	TC083	T20	
<i>Get information for cooling tool Compatible with / Kompatible für (KYCRA)</i>										

LOGU 0303	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T731	D040 d16 Z06 LOGU 03	40	16	6	40	0,283	TC064-2	T8	LOGU 0303
	T732	D050 d22 Z07 LOGU 03	50	22	7	50	0,582	TC064-2	T8	KYCRA
	T734	D063 d22 Z09 LOGU 03	63	22	9	50	1,188	TC064-2	T8	
<i>Get information for cooling tool Compatible with / Kompatible für (KYCRA)</i>										

90° BDMT 11T3	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T533	D040 d16 Z05 BDMT 11	40	16	5	40	0,224	TC060	T8	BDMT 11T3
	T534	D050 d22 Z06 BDMT 11	50	22	6	40	0,361	TC060	T8	KYCRA
	T535	D063 d22 Z07 BDMT 11	63	22	7	40	0,527	TC060	T8	

Get information for cooling tool Compatible with / Kompatible für (KYCRA)

90° BDMT 1704	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T537	D040 d16 Z04 BDMT 17	40	16	4	40	0,190	TC074	T15	
	T538	D050 d22 Z05 BDMT 17	50	22	5	40	0,312	TC074	T15	BDMT 1704
	T539	D063 d22 Z06 BDMT 17	63	22	6	40	0,516	TC074	T15	KYCRA
	T540	D080 d27 Z07 BDMT 17	80	27	7	50	1,165	TC074	T15	

Get information for cooling tool Compatible with / Kompatible für (KYCRA)

SDMT 09T3	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T362	D040 d16 Z04 SDMT 09	40	16	4	40	0,215	TC067	T15	SDMT 09T3
	T363	D050 d22 Z05 SDMT 09	50	22	5	40	0,355	TC067	T15	ZCC
	T364	D063 d22 Z06 SDMT 09	63	22	6	40	0,592	TC067	T15	

Get information for cooling tool Compatible with / Kompatible für (ZCC)

SDMT 1204	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T358	D050 d22 Z04 SDMT 12	50	22	4	40	0,315	TC074	T15	SDMT 1204
	T359	D063 d22 Z05 SDMT 12	63	22	5	40	0,422	TC074	T15	ZCC
	T360	D080 d27 Z06 SDMT 12	80	27	6	52	1,051	TC074	T15	

Get information for cooling tool Compatible with / Kompatible für (ZCC)

RHKW 0802	Order Code	Product Code	Dimensions (mm)								
			D	d	Z	H					
	T599	D040 d16 Z04 RHKW 08	40	16	4	40	0,247	TC040	TC065-1	T15	RHKW 0802
	T600	D050 d22 Z05 RHKW 08	50	22	5	40	0,309	TC040	TC065-1	T15	INGRSL
	T601	D063 d22 Z06 RHKW 08	63	22	6	40	0,530	TC040	TC065-1	T15	

Get information for cooling tool Compatible with / Kompatible für (INGRSL)

RHKW 1003	Order Code	Product Code	Dimensions (mm)								
			D	d	Z	H					
	T602	D040 d16 Z04 RHKW 10	40	16	4	40	0,243	TC040	TC074	T15	RHKW 1003
	T604	D050 d22 Z05 RHKW 10	50	22	5	40	0,289	TC040	TC074	T15	INGRSL
	T606	D063 d22 Z06 RHKW 10	63	22	6	40	0,488	TC040	TC074	T15	
	T608	D080 d27 Z07 RHKW 10	80	27	7	50	1,080	TC040	TC074	T15	

Get information for cooling tool Compatible with / Kompatible für (INGRSL)

RHKW 1204	Order Code	Product Code	Dimensions (mm)								
			D	d	Z	H					
	T612	D040 d16 Z04 RHKW 12	40	16	4	40	0,246	TC040	TC074	T15	RHKW 1204
	T613	D050 d22 Z05 RHKW 12	50	22	5	40	0,304	TC040	TC074	T15	INGRSL
	T614	D063 d22 Z06 RHKW 12	63	22	6	40	0,556	TC040	TC074	T15	
	T615	D080 d27 Z07 RHKW 12	80	27	7	50	1,039	TC040	TC074	T15	

Get information for cooling tool Compatible with / Kompatible für (INGRSL)

90° BOMT 1304	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T965	D040 d16 Z04 BOMT 13	40	16	4	40	0,272	TC069	T10	BOMT 1304
	T966	D050 d22 Z05 BOMT 13	50	22	5	40	0,369	TC069	T10	INGRSL
	T967	D063 d22 Z06 BOMT 13	63	22	6	40	0,613	TC069	T10	
Get information for cooling tool							Compatible with / Kompatible für (INGRSL)			

55° HNGX 0906	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T418	D063 d22 Z06 HNGX 09	63	22	6	40	0,518	TC080	T15	
	T419	D080 d27 Z06 HNGX 09	80	27	6	50	1,067	TC080	T15	HNGX 0906
	T420	D100 d32 Z08 HNGX 09	100	32	8	50	1,542	TC080	T15	PRMT
	T421	D125 d40 Z08 HNGX 09	125	40	8	63	3,314	TC080	T15	
	T422	D160 d40 Z12 HNGX 09	160	40	12	63	3,962	TC080	T15	
Get information for cooling tool							Compatible with / Kompatible für (PRMT)			

ZDEW 1204	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T196	D050 d22 Z04 ZDEW 12	50	22	4	40	0,256	TC080-1	T15	ZDEW 1204
	T197	D063 d22 Z05 ZDEW 12	63	22	5	40	0,474	TC080-1	T15	PRMT
Get information for cooling tool							Compatible with / Kompatible für (PRMT)			

45° SDHT 1204	Order Code	Product Code	Dimensions (mm)								
			D	DI	d	Z	H				
	T300	D063 d22 Z05 SDHT 12	63	77	22	5	45	0,630	TC080	T15	
	T302	D080 d27 Z06 SDHT 12	80	94	27	6	52	1,200	TC080	T15	SDHT 1204
	T304	D100 d32 Z07 SDHT 12	100	114	32	7	62	2,040	TC080	T15	ISO
	T305	D125 d40 Z08 SDHT 12	125	139	40	8	62	4,095	TC080	T15	

90° VCGT 1604	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T498	D040 d16 Z03 VCGT 16	40	16	3	52	0,277	TC074	T15	
	T500	D050 d22 Z04 VCGT 16	50	22	4	52	0,362	TC074	T15	VCGT 1604
	T502	D063 d22 Z05 VCGT 16	63	22	5	52	0,538	TC074	T15	ISO
	T504	D080 d27 Z06 VCGT 16	80	27	6	52	0,848	TC074	T15	

43° OFCR 0704	Order Code	Product Code	Dimensions (mm)								
			D	d	Z	H					
	T260	D050 d22 Z04 OFCR 07	50	22	4	45	0,488	BK300	TC300 MBx18	4 Allen	
	T262	D063 d22 Z04 OFCR 07	63	22	4	45	0,722	BK300	TC300 MBx18	4 Allen	OFCR 0704
	T264	D080 d27 Z06 OFCR 07	80	27	6	50	1,205	BK300	TC300 MBx18	4 Allen	ISO
	T266	D100 d32 Z08 OFCR 07	100	32	8	50	1,654	BK300	TC300 MBx18	4 Allen	
	T268	D125 d40 Z09 OFCR 07	125	40	9	62	3,510	BK300	TC300 MBx18	4 Allen	
	T269	D160 d40 Z12 OFCR 07	160	40	12	62	5,112	BK300	TC300 MBx18	4 Allen	

90° ANKX 1607	Order Code	Product Code	Dimensions (mm)							
			D	d	Z	H				
	T171	D050 d22 Z04 ANKX 16	50	22	4	40	0,307	TC080-1	T15	
	T172	D063 d22 Z05 ANKX 16	63	22	5	40	0,462	TC080-1	T15	ANKX 1607
	T173	D080 d27 Z06 ANKX 16	80	27	6	50	1,101	TC080-1	T15	
Get information for cooling tool (XTC- GSC)							Compatible with / Kompatible für			

Order Code	Product Code	Dimensions (mm)							
		D	d	Z	H				
T956	D050 d22 Z05 LNGU 15	50	22	5	40	0,305	TC074	T15	
T958	D063 d22 Z06 LNGU 15	63	22	6	40	0,541	TC074	T15	LNGU 15T6
T960	D080 d27 Z07 LNGU 15	80	27	7	50	1,133	TC074	T15	KNNMTL
T961	D100 d32 Z08 LNGU 15	100	32	8	50	1,933	TC074	T15	

Get information for cooling tool Compatible with / Kompatible für (KNNMTL)


Order Code	Product Code	Dimensions (mm)								
		D	d	Z	H					
T288	D040 d16 Z03 RDMT 10	40	16	3	40	0,208	TC067	TC040	T15	
T289	D040 d16 Z04 RDMT 10	40	16	4	40	0,220	TC067	TC040	T15	
T290	D050 d22 Z04 RDMT 10	50	22	4	40	0,310	TC067	TC040	T15	
T291	D050 d22 Z05 RDMT 10	50	22	5	40	0,302	TC067	TC040	T15	RDMT 1003
T292	D063 d22 Z05 RDMT 10	63	22	5	40	0,445	TC067	TC040	T15	ISO
T293	D063 d22 Z06 RDMT 10	63	22	6	40	0,460	TC067	TC040	T15	
T294	D080 d27 Z06 RDMT 10	80	27	6	50	1,033	TC067	TC040	T15	
T294-1	D080 d27 Z07 RDMT 10	80	27	7	50	1,048	TC067	TC040	T15	
T295	D100 d32 Z07 RDMT 10	100	32	7	50	1,463	TC067	TC040	T15	
T295-1	D100 d32 Z08 RDMT 10	100	32	8	50	1,478	TC067	TC040	T15	


Order Code	Product Code	Dimensions (mm)								
		D	d	Z	H					
T280	D040 d16 Z03 RDMT 12	40	16	3	40	0,235	TC067	TC040	T15	
T281	D040 d16 Z04 RDMT 12	40	16	4	40	0,236	TC067	TC040	T15	
T282	D050 d22 Z04 RDMT 12	50	22	4	40	0,311	TC067	TC040	T15	
T283	D050 d22 Z05 RDMT 12	50	22	5	40	0,309	TC067	TC040	T15	RDMT 12T3
T284	D063 d22 Z05 RDMT 12	63	22	5	40	0,468	TC067	TC040	T15	ISO
T285	D063 d22 Z06 RDMT 12	63	22	6	40	0,500	TC067	TC040	T15	
T286	D080 d27 Z06 RDMT 12	80	27	6	50	0,925	TC067	TC040	T15	
T286-1	D080 d27 Z07 RDMT 12	80	27	7	50	0,950	TC067	TC040	T15	
T287	D100 d32 Z07 RDMT 12	100	32	7	50	1,402	TC067	TC040	T15	
T287-1	D100 d32 Z08 RDMT 12	100	32	8	50	1,435	TC067	TC040	T15	


Order Code	Product Code	Dimensions (mm)									
		D	d	Z	H						
T270	D050 d22 Z04 RDMT 16	50	22	4	50	0,350	TC074	BK035	TC080	T15	
T271	D052 d22 Z04 RDMT 16	52	22	4	50	0,350	TC074	BK035	TC080	T15	RDMT 1604
T273	D063 d22 Z05 RDMT 16	63	22	5	45	0,512	TC074	BK035	TC080	T15	ISO
T272	D066 d27 Z05 RDMT 16	66	27	5	50	0,495	TC074	BK035	TC080	T15	
T274	D080 d27 Z06 RDMT 16	80	27	6	50	0,890	TC074	BK035	TC080	T15	
T275	D100 d32 Z07 RDMT 16	100	32	7	52	1,370	TC074	BK035	TC080	T15	

With Shim - Mit U-Platte

Order Code	Product Code	Dimensions (mm)										
		D	d	Z	H	E						
T100	D080 d32 Z05 TPKN 16 A	80	32	5	52	--	0,961	TC052	4 Allen	TA010	TC034 M3	TPKN 1603
T102	D100 d32 Z06 TPKN 16 A	100	32	6	52	--	1,518	TC052	4 Allen	TA010	TC034 M3	ISO
T104	D080 d32 Z04 TPKN 22 A	80	32	4	52	--	0,810	TC054	5 Allen	TA012	TC038	
T106	D100 d32 Z05 TPKN 22 A	100	32	5	52	--	1,444	TC054	5 Allen	TA012	TC038	TPKN 2204
T108	D125 d40 Z06 TPKN 22 A	125	40	6	62	--	3,164	TC054	5 Allen	TA012	TC038	ISO
T110	D160 d40 Z07 TPKN 22 A	160	40	7	62	66,7	4,220	TC054	5 Allen	TA012	TC038	
T112	D200 d60 Z08 TPKN 22 A	200	60	8	62	101,6	5,412	TC054	5 Allen	TA012	TC038	
T113	D250 d60 Z09 TPKN 22 A	250	60	9	62	101,6	8,166	TC054	5 Allen	TA012	TC038	

TPKN 1603-2204	Order Code	Product Code	Dimensions (mm)								
			D	d	Z	H	E				
	T114	D042 d16 Z03 TPKN 16	42	16	3	44	--	0,280	TC052	4 Allen	
	T116	D050 d22 Z03 TPKN 16	50	22	3	44	--	0,340	TC052	4 Allen	TPKN 1603
	T118	D063 d22 Z03 TPKN 16	63	22	3	44	--	0,463	TC052	4 Allen	ISO
	T120	D063 d22 Z04 TPKN 16	63	22	4	44	--	0,481	TC052	4 Allen	
	T122	D080 d32 Z05 TPKN 16	80	32	5	52	--	0,954	TC052	4 Allen	
	T124	D100 d32 Z06 TPKN 16	100	32	6	52	--	1,542	TC052	4 Allen	
	T126	D063 d22 Z03 TPKN 22	63	22	3	50	--	0,532	TC054	5 Allen	
	T128	D080 d32 Z04 TPKN 22	80	32	4	52	--	0,795	TC054	5 Allen	TPKN 2204
	T130	D100 d32 Z05 TPKN 22	100	32	5	52	--	1,398	TC054	5 Allen	ISO
	T132	D125 d40 Z06 TPKN 22	125	40	6	62	--	3,153	TC054	5 Allen	
	T134	D160 d40 Z07 TPKN 22	160	40	7	62	66,7	4,150	TC054	5 Allen	
	T136	D200 d60 Z08 TPKN 22	200	60	8	62	101,6	5,458	TC054	5 Allen	
	T138	D250 d60 Z09 TPKN 22	250	60	9	62	101,6	8,235	TC054	5 Allen	

SPKN 1203	Order Code	Product Code	Dimensions (mm)						
			ØD	ød	Z	H			
	T148	D050 d22 Z03 SPKN 12	50	22	3	45	TC054	5 Allen	SPKN 1203
	T150	D063 d22 Z04 SPKN 12	63	22	4	45	TC054	5 Allen	ISO

SPKN 1203	Order Code	Product Code	Dimensions (mm)								
			D	d	Z	H	E				
	T152	D080 d27 Z06 SPKN 12	80	27	6	55	---	1,260	TC056	5 Allen	
	T154	D100 d32 Z08 SPKN 12	100	32	8	55	---	1,698	TC056	5 Allen	SPKN 1203
	T156	D125 d40 Z10 SPKN 12	125	40	10	62	---	3,408	TC056	5 Allen	ISO
	T158	D160 d40 Z12 SPKN 12	160	40	12	62	66,7	5,012	TC056	5 Allen	
	T160	D200 d60 Z12 SPKN 12	200	60	12	62	101,6	6,542	TC056	5 Allen	
	T162	D300 d60 Z20 SPKN 12	300	60	20	65	101,6	15,11	TC056	5 Allen	